

HOMEOPATHIC TREATMENT PROTOCOL FOR AUTISM

Didier Grandgeorge, MD, Fréjus France, April 2017

(update of the march 2016 document)

Autism develops an epidemic in the world which excludes a genetic process.

Following the congress "Sortir de l'autisme" (out of autism) held in PARIS on January 30th and 31st 2016, in the presence of Professor Luc Montagnier, we propose a new protocol to help autistic out of their bubble.

Homeopathy is a gentle method, inexpensive, without contraindications. In case of lactose intolerance, or to limit the exposure to lactose, doses without lactose can be obtained from a homeopathic pharmacist such as the ARCHERS in EPERNAY France. (The doctor can then prescribe PMR without lactose).

The advice of a homeopath may be useful to complete this treatment in specific circumstances (for example, in case of very premature baby we will add a dose of Opium 30CH 48 hours after the dose of CARBO VEGETABLE).

It appears that autism has his origin in multiple factors. Above all a result of the pollution that invaded our planet:

- Pollution due to loaded aluminum vaccines for which we propose to give homeopathic dilutions of that vaccine.
- Pollution by carbon monoxide for which we give the homeopathic remedy VEGETABLE CARBO 30CH.
- Pollution by heavy metals for which laboratory tests and expensive chelations are proposed. They can be avoided by giving a homeopathic dilution of the blood of the patient. The dilution is prepared by a homeopathic pharmacy or by you: this is the iso blood therapy. (see hereunder).
- Invasion by specific bacteria (bacterium SUTURELLA example) that show the work of PR.MONTAGNIER. We found the signal of these neurotoxic bacteria in the blood of autistic. The PR.MONTAGNIER offers antibiotics but they are lengthy and expensive and therefore difficult to implement. Again iso blood therapy is an elegant way to solve the problem.
- Pollution due to CHLORINE and CHLORINATED DERIVATIVES: excess chlorine in the active brain GABA and makes hypersensitive. The Autism is invaded by external stimuli and must protect itself by putting in a bubble. The homeopathic remedy CHLORUM will be very essential.
- Finally food intolerances with GLUTEN and MILK.

We therefore propose to implement the following treatment protocol for AUTISM:

1. Diet without milk and gluten free for three months
2. Treatment iso blood therapy 30K: 1 drop every Thursday morning fasting in a little spring water (see hereunder)
3. Homeopathic treatment Sunday morning:

Sunday	Homeopathic remedy (dose)
1 st	Carbo vegetalis 30CH
2 nd	Opium 30CH
3 rd	Chlorum 9CH
4 th	Dilution of the hexavalet vaccine (diphtheria, tetanus, polio, haemophilus, pertussis, hepatitis B)
5 th	Chlorum 12CH
6 th	Dilution of te MMR Vaccine (measles mumps rubella) 30CH
7 th	Chlorum 15CH
8 th	Dilution of vaccine pneumococcal 30CH
9 th	Chlorum 30CH
10 th	Dilution of the vaccine meningitis C in 30CH
11 th	Chlorum 200K
12 th	Dilution of the vaccine varicella 30CH
13 th	Chlorum 1000K
14 th	Vaccinotoxinum 30CH
15 th	Chlorum 10000K

The doses are to be taken in the morning on an empty stomach: suck all the contents of the tube, or melt in 20cc of spring water.

For those vaccines which were not made, skip the corresponding doses!

How to make oneself a blood Isotherapic in 30K dilution?

Materials needed

- 1 bottle dropper of 5cc or 10cc
- 1 half liter of alcohol 60 ° unmodified (in the absence of such alcohol, use the alcohol to preserve fruits)

How to make it:

- Put a drop of patient blood in the dropper bottle filled with alcohol at 60 ° and let sit overnight.
- The next day, shake 100 times the bottle (dynamic). **Then empty it** as it remains some droplets on the glass wall. **(always keep the same bottle).**
- Refill the bottle with alcohol 60 ° and shake 100 times. This is the first dilution 1K
- Repeat the process once. We have the dilution 2K.
- Repeat 28 times this operation. We have the 30K dilution.
- Give the patient a drop of the last dilution in a little spring water every Thursday morning.

When the bottle is almost empty recover from alcohol in it and shake 100 times to continue with the 31K dilution.

Please note: A isotherapic based on the patient blood is a personalized remedy. It CANNOT be used by any other person except the person who gave the blood that was used to build the isotherapic.